



Welcome United States Patent and Trademark Office

Search Session History

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Thu, 27 Oct 2005, 9:39:53 AM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display



Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- | | |
|------------|---|
| <u>#1</u> | ((directive file<in>metadata) <and> (profile <in>metadata))
<and> (preference<in>metadata) |
| <u>#2</u> | ((user profile or preference<in>metadata) <and>
(setting<in>metadata))<and> (virtual<in>metadata) |
| <u>#3</u> | ((configuration or migration<in>metadata) <and> (user
profile<in>metadata))<and> (convert or format<in>metadata) |
| <u>#4</u> | ((similar or substantial<in>metadata) <and> (operating
environment<in>metadata))<and> (profile
preference<in>metadata) |
| <u>#5</u> | ((similar operating environment<in>metadata) <and> (profile
or configuration<in>metadata))<and> (preference or
migration<in>metadata) |
| <u>#6</u> | ((transmit or translate<in>metadata) <and> (user profile or
preference<in>metadata))<and> (convert or
format<in>metadata) |
| <u>#7</u> | ((transmit or translate<in>metadata) <and> (user profile or
preference<in>metadata))<and> (convert or
format<in>metadata) |
| <u>#8</u> | ((profile or preference<in>metadata) <and> (setting
<in>metadata))<and> (xml or html or sgml<in>metadata) |
| <u>#9</u> | ((virtual desktop<in>metadata) <and> (setting or operating
environment<in>metadata))<and> (convert or translate or
format<in>metadata) |
| <u>#10</u> | ((setting<in>metadata) <and> (bookmark and
cookies<in>metadata))<and> (xml or sgml or
html<in>metadata) |



Indexed by
 Inspec®

[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2005 IEEE --

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S153	26832	S152 and @ad<="20000329"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 10:59
S152	69040	virtual and ((profile\$2 preference\$2 configuration migration) and (format\$4 conver\$6))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 10:59
S150	272	S149 and @ad<="20000329"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 10:59
S145	365	S143 and ((profile\$2 preference\$2 configuration migration) and (format\$4 conver\$6))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 10:59
S151	122	S150 not S146	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 10:51
S149	648	S147 and ((profile\$2 preference\$2 configuration migration) and (format\$4 conver\$6))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 10:50
S148	643	S147 and ((profile\$2 preference\$2 configuration) and (format\$4 conver\$6))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 10:50
S147	1296	((similar substantial\$4 'same') near5 (operating near3 environment))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 10:50
S146	150	S145 and @ad<="20000329"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 10:50
S144	361	S143 and ((profile\$2 preference\$2 configuration) and (format\$4 conver\$6))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 10:50
		((similar substantial\$4 same) near5 (operating near3 environment))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 10:50
S143	716	((similar substantial\$4) near5 (operating near3 environment))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 10:49

S62	133	S61 and @ad<="20000329"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 10:39
S14 2	10	S139 and ((similar substantial\$4) near5 (operating near3 environment))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 10:38
S13 9	25366	(profile\$2 preference\$2 configuration) same (format\$4 conver\$6) same substantial\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 10:38
S14 1	1	S140 and (format\$4 conver\$6 modif\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 10:37
		S140 and (format\$4 conver\$6 modif\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 10:34
S14 0	1	"6735691".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 10:33
S13 8	1	S136 and cach\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 10:31
S13 7	1	S136 and (phone telephone wap)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/25 15:15
S13 6	1	"6546002".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/25 14:58
S13 5	0	S132 and cach\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/25 14:58
S13 4	0	S132 and wap	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/25 14:57
S13 3	1	S132 and (phone telephone)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/25 14:54

S13 2	1	"6735691".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/25 14:50
S13 1	12	S130 and (apply\$4 near4 document\$2 near4 substrate\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/25 14:50
S13 0	1329	S129 and @ad<="20041102"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/25 07:58
S12 9	1376	S128 and print\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/25 07:58
S12 8	2974	document\$2 near4 substrate\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/25 07:57
S12 7	1173	S125 and S126	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/25 07:56
S12 6	4292	query with term	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 13:28
S12 5	1203	query\$4 adj term\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 13:28
S12 4	2634	S119 and (nucleotide near2 sequence\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 13:27
S12 3	2581	S119 and (nucle\$4 near2 sequence\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 12:57
S12 1	2602	S119 and (nucle\$3 near4 acid\$2 near3 sequence\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 12:56
S12 2	30	S119 and (nucle\$3 near4 acid\$2 near3 sequence\$2 near3 tag\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 12:22

S120	2659	S119 and (nucle\$3 near4 acid\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 12:22
S119	2664	S118 and template\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 12:21
S118	3066	S117 and @ad<="20030603"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 12:21
S117	4147	query\$4 same nucle\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 12:21
S116	109	S115 not S108	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 12:19
S115	111	S114 and (xml sgml html)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:39
S114	658	S113 and (profile\$2 setting)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:39
S108	57	S107 and (xml sgml html)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:39
S113	870	S111 and (virtual near4 (access\$4 desktop))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:38
S112	0	S111 and (virtual near4 (access\$4 desktop))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:38
S111	134302	S110 and @ad<="20000329"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:37
S110	247649	(configuration\$2 profile\$2) same (format\$4 conver\$6 translat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:37

S10 9	36967	(configuration\$2 profile\$2) near3 (format\$4 conver\$6 translat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:37
S10 1	5371426	"3" and @ad<="20000329"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:37
S10 6	9691	profile\$2 near3 (format\$4 conver\$6 translat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:36
S10 7	4696	S106 and @ad<="20000329"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:15
S10 5	8	S102 and (xml sgml html)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:15
S99	1009	profile\$2 near3 translat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:15
S10 4	8454	S101 and (xml sgml html)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:11
S10 3	8454	S101 and (xml sgml html)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:11
S68	58	S67 and (xml sgml html)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:11
S10 2	329	S100 and @ad<="20000329"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:10
S10 0	658	S99 and (convert\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:10
S69	58	S68 and @ad<="20000329"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:10

S54	200	S53 and (conver\$6 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:10
S98	196	S96 not S97	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 10:08
S96	226	S95 and (setting\$2 bookmark\$2 cookies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 15:07
S97	30	S96 and activex	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:54
S95	352	S94 not S85	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:53
S94	360	S93 and (internet wan\$2 lan\$2 virtual wireless web telecommunication)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:52
S93	361	S92 and remot\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:52
S92	428	S90 and (application\$2 program\$5 software\$2 module\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:51
S91	157	S90 and (synchron\$7 and (application\$2 program\$5 software\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:51
S74	1	S73 and (synchron\$7 and (application\$2 program\$5 software\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:51
S90	429	S89 and (xml sgml html)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:50
S89	16919	S88 and (convert\$4 format\$4 modif\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:50

S55	111	S54 and (xml sgml html)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:50
S88	24907	S87 and @ad<="20000329"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:49
S87	51397	(moving transfer\$5) same (configuration profile\$2) same (computer\$2 device\$2 laptop PDA)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:49
S85	91	S84 and @ad<="20000329"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:49
S84	562	(moving transfer\$5) same (configuration profile\$2) same (computer\$2 device\$2) same (laptop PDA)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:49
S86	1	"6490601".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:36
S81	380	S80 and @ad<="20000329"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:32
S83	357	S82 and (modif\$8 convert\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:30
S82	366	S81 and (software\$2 application\$2 programming\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:10
S80	1019	S78 and (migration configuration)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:09
S79	1378233	"16" and (migration configuration)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:09
S78	1575	directive near3 (file\$2 information data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:09

S57	71	S54 and @ad<="20000329"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:09
S77	12	S76 and (migration configuration)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:08
S76	31	S75 and microsoft	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:06
S75	412	capps.inv.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 14:06
S73	1	"6571245".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 12:46
S1	4	("5,845,282" "6,012,130" "6,161,176" "6,370,646").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/21 12:46
S72	1	S71 and (conver\$6 format\$4 modif\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 15:16
S71	1	"6735691".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 15:16
S70	3275	713/1,2,100.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 15:16
S67	375	S66 and (user near3 (profile\$2 preference\$2 setting))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 15:05
S66	5203	S65 and @ad<="20000329"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 15:05
S56	39	S55 and @ad<="20000329"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 15:05

S53	232	S51 and (user near3 (profile\$2 preference\$2 setting))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 15:05
S65	11861	(transfer\$4 transport) same (configuration near4 (setting data information))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 15:04
S64	62	S63 not S57	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 15:04
S63	94	S62 not S56	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 14:54
S61	463	S60 and (modif\$7 conver\$6 format\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 14:53
S60	503	((remote near4 desktop\$2) (virtual near4 lan)) and (user near4 (profile\$2 preference\$2 setting\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 14:53
S59	77	S53 and @ad<="20000329"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 14:52
S58	32	S57 not S56	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 13:03
S52	180	S51 and (user near3 (profile\$2 preference\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 12:41
S51	776	remote near3 desktop	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 12:40
S50	27027	(remote\$2 same (setting\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 12:40
S42	2	("6735691" "6766298").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 12:07

S49	2	S48 and shadow	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/19 15:25
S48	26	guck.inv.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/19 15:25
S47	0	"guck.inv"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/19 15:25
S46	227	717/176.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/19 15:25
S22	160	717/176.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/19 11:37
S45	1003	713/100.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/19 11:36
S21	794	713/100.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/19 11:36
S44	11729	709/200,201,203,213,217.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/19 11:35
S43	3417	715/513,514,516,517,522,523. ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/19 11:35
S26	9047	709/200,201,203,213,217.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/19 11:35
S25	2512	715/513,514,516,517,522,523. ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/19 11:35
S41	1	"6917958".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/19 11:32

S39	2	((("6546002" "6654814" "6477565").pn.) and protocol	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/24 16:15
S38	1	((("6546002" "6654814" "6477565").pn.) and pars\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/24 16:15
S37	3	("6546002" "6654814" "6477565").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/24 15:58
S36	71	directive adj file\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/03 15:46
S35	719	(((mov\$4 transfer\$5 transmi\$7) same (profile\$2 preference\$2 setting\$2 (directive near3 (file\$2 data information)))) same (((similar different) near3 (platform\$2 device\$2)) laptop\$2 cellphone\$2 cellularphone\$2 (phone near3 (cell cellular)) cell-phone\$2 pda\$2 wireless)) and (XML SGML html)) not (((mov\$4 transfer\$5 transmi\$7) same (profile\$2 preference\$2 setting\$2 (directive near3 (file\$2 data information)))) same (((similar different) near3 (platform\$2 device\$2)) laptop\$2 cellphone\$2 cellularphone\$2 (phone near3 (cell cellular)) cell-phone\$2 pda\$2 wireless)) and (simple near2 object near3 access near3 protocol\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/03 15:45
S34	758	((mov\$4 transfer\$5 transmi\$7) same (profile\$2 preference\$2 setting\$2 (directive near3 (file\$2 data information)))) same (((similar different) near3 (platform\$2 device\$2)) laptop\$2 cellphone\$2 cellularphone\$2 (phone near3 (cell cellular)) cell-phone\$2 pda\$2 wireless)) and (XML SGML html)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/03 13:48

S32	6956	(mov\$4 transfer\$5 transmi\$7) same (profile\$2 preference\$2 setting\$2 (directive near3 (file\$2 data information))) same (((similar different) near3 (platform\$2 device\$2)) laptop\$2 cellphone\$2 cellularphone\$2 (phone near3 (cell cellular)) cell-phone\$2 pda\$2 wireless)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/03 13:48
S33	45	((mov\$4 transfer\$5 transmi\$7) same (profile\$2 preference\$2 setting\$2 (directive near3 (file\$2 data information))) same (((similar different) near3 (platform\$2 device\$2)) laptop\$2 cellphone\$2 cellularphone\$2 (phone near3 (cell cellular)) cell-phone\$2 pda\$2 wireless)) and (simple near2 object near3 access near3 protocol\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/03 13:38
S27	970	simple near2 object near3 access near3 protocol\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/03 13:37
S31	56	(((((simple near2 object near3 access near3 protocol\$2) and xml) and format\$4) and (download\$4 near5 (software\$2 application\$2 module\$2 program\$5))) and (profile\$2 (directive near3 file\$2) preference\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/03 13:28
S30	136	(((((simple near2 object near3 access near3 protocol\$2) and xml) and format\$4) and (download\$4 near5 (software\$2 application\$2 module\$2 program\$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/03 12:46
S29	772	((simple near2 object near3 access near3 protocol\$2) and xml) and format\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/03 12:45
S28	852	(simple near2 object near3 access near3 protocol\$2) and xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/03 12:44
S18	10	("5,872,966" "5,996,012" "6,088,732" "6,091,518" "6,182,212" "6,185,598" "6,202,206" "6,377,927" "6,477,565" "6,546,002" "6,609,162").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/02 17:31

S24	8	("6336124" "6556217" "6119136" "6057841" "6300947" "6593943" "5602985" "6654814").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/02 09:06
S23	8	("6336124" "6556217" "6119136" "6057841" "6300947" "6593943" "5602984" "6654814").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/02 09:06
S20	2	"713".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 16:08
S19	1	"5872966".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 16:08
S17	0	woodward.in. and "20010510".AD.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 16:03
S16	2971	"20010510".AD.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 16:02
S40	853	Woodward.OREF.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 16:00
S15	1085	"20010510".RLFD.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 15:56
S13	1085	"20010510".RLAD.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 15:56
S14	0	"20010510".RLAD. and Woodward.OREF.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 15:55
S12	0	"20020801".PTPN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 15:54
S11	6075	"20020801".PD.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 15:53

S10	0	Woodward.OREF. and "20020801".PD.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 15:52
S9	0	"Woodward.OREF"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 15:50
S8	2184	woodward.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 15:48
S7	6	"104080".ap.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 15:48
S6	0	"200220104080".pa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 15:45
S5	0	2002/20104080.ap.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 15:44
S4	0	"20104080".ap.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 15:43
S3	0	"0104080".ap.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 15:43
S2	0	"20020104080".ap.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 15:43